



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/732,123	12/07/2000	Moris M. Amon	10242	9609
23455	7590	10/06/2003	EXAMINER	
EXXONMOBIL CHEMICAL COMPANY			VO. HAI	
P O BOX 2149			ART UNIT	
BAYTOWN, TX 77522-2149			PAPER NUMBER	

1771

DATE MAILED: 10/06/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Advisory Action	Application No. 09/732,123	Applicant(s) AMON, MORIS M.	
	Examiner Hai Vo	Art Unit 1771	

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 25 August 2003 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.

PERIOD FOR REPLY [check either a) or b)]

- a) ☐ The period for reply expires _____ months from the mailing date of the final rejection.
- b) ☒ The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).

Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

1. ☐ A Notice of Appeal was filed on _____. Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.
2. ☐ The proposed amendment(s) will not be entered because:
- (a) ☐ they raise new issues that would require further consideration and/or search (see NOTE below);
 - (b) ☐ they raise the issue of new matter (see Note below);
 - (c) ☐ they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or
 - (d) ☐ they present additional claims without canceling a corresponding number of finally rejected claims.

NOTE: _____.

3. ☐ Applicant's reply has overcome the following rejection(s): _____.
4. ☐ Newly proposed or amended claim(s) _____ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).
5. ☒ The a) ☒ affidavit, b) ☐ exhibit, or c) ☒ request for reconsideration has been considered but does NOT place the application in condition for allowance because: See Continuation Sheet.
6. ☐ The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.
7. ☒ For purposes of Appeal, the proposed amendment(s) a) ☐ will not be entered or b) ☒ will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.

The status of the claim(s) is (or will be) as follows:

Claim(s) allowed: _____.

Claim(s) objected to: _____.

Claim(s) rejected: 1-6.

Claim(s) withdrawn from consideration: _____.

8. ☐ The proposed drawing correction filed on _____ is a) ☐ approved or b) ☐ disapproved by the Examiner.
9. ☐ Note the attached Information Disclosure Statement(s) (PTO-1449) Paper No(s). _____.
10. ☐ Other: _____

Continuation of 5. does NOT place the application in condition for allowance because: The art rejections have been maintained for the following reasons. In the first place, the arguments that the differences in the process of plasma treatment (remote treatment vs. direct treatment) would lead to differences in the pore accessibility of the film are not commensurate in scope with the claims. Nothing in the claims is specific about the processing steps to provide any distinction over the prior art. The film surface is in direct contact with plasma discharge should be included in the claims to provide distinction over the Koonz reference in respect to the pore accessibility. The declaration filed on 08/25/2003 has demonstrated that the film of the present invention is structurally distinguishable from the film of Koon due to differences in the processing steps of the plasma treatment. The declaration fails to show that the film of the present invention is structurally distinguishable from the film of Kubota and JP 2208333 with respect to the pore accessibility and/or the receding contact angle for water. Further, Applicants argues that it does not matter how the film layers have been plasma treated but it only matters that the plasma-treated film has the presently claimed receding contact angle for water and pore accessibility. They are not found persuasive for patentability in the situation where the films of applied references have been made of the same material and clearly treated with the same plasma discharge as that of the present invention. In this case, it does matter how the film layer is plasma treated to provide any distinction over the prior art. .



TERREL MORRIS
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700